

TEST QUESTIONS: ASBESTOS

Your Name:		Date:	
Company:		IEC #:	

The *BSO Plus Safety Topic* is a review designed from the BSO Plus agenda. This safety topic is your way to stay current on the safety information over the 3 years between BSO Plus and BSR.

Please circle the correct answer for each question.

- 1. Friable asbestos fibres may stay airborne for 24 hours or longer.**
 - a. True
 - b. False

- 2. By cutting into a vinyl floor tile that contains non-friable asbestos, the asbestos can be released as friable asbestos and inhaled.**
 - a. True
 - b. False

- 3. Signs and coloured metal banding are two methods for identifying asbestos in the workplace. What should you do if you're not sure whether or not something contains asbestos?**
 - a. Try to crush a piece of material by hand to see if it crumbles
 - b. Try to ignite it
 - c. Assume it is asbestos, do not disturb it, and contact your supervisor
 - d. Ask your co-workers if they know

- 4. If you are exposed to asbestos, you may begin to experience symptoms of illness:**
 - a. Immediately
 - b. Within 3 months of exposure
 - c. 1 to 2 years after the first exposure
 - d. 5 to 30 years (or more) after the first exposure

- 5. Indicators of Asbestos Containing Material (ACM) are: (Circle all that apply)**
 - a. Newer buildings or equipment
 - b. Older buildings or equipment
 - c. Structural steel frame buildings
 - d. Equipment exposed to extreme temperatures