

TEST QUESTIONS: WORKING AT HEIGHTS

Your Name:		Date:	
Company:		IEC #:	

The *BSO Plus Safety Topic* is a review designed from the BSO Plus agenda. This safety topic is your way to stay current on the safety information over the 3 years, so please ensure you submit this completed test to your employer for record retention.

- 1. Ontario Regulation 213/91, Section 26 states that fall protection equipment is required when a worker could be exposed to the hazard of falling more than 3 meters (10 feet), but the Safety Partnership best practice is to use fall protection equipment when working above 1.8 meters (6 feet).**
 - a) True
 - b) False
- 2. If you need to move locations while working at heights, you must maintain 100% tie-off. You do this by:**
 - a) Going home – the work must be done by someone else
 - b) Unhooking your lanyard and walking carefully to the new location
 - c) Unhooking your first lanyard and then attaching your second lanyard to the new location
 - d) Attaching your second lanyard to the new location before unhooking the first
- 3. A section of the guardrail on the scaffold where you are working has been temporarily removed. What must you do to work safely?**
 - a) Stop work until the guardrail has been restored
 - b) Tack on a couple of 2 x 4 boards over the open section
 - c) Wear your fall protection equipment and tie off while you work
 - d) Continue to work without fall protection equipment and try to avoid the open section
- 4. A 3-tag system is used for scaffold inspections. What does the yellow tag mean?**
 - a) Not safe to use
 - b) Okay to use with supervisor's permission
 - c) Must follow listed precautions before using
 - d) Safe to use
- 5. Guardrails must be installed no further than _____ from an edge.**
 - a) 300 mm (1 ft)
 - b) 650 mm (2ft, 2in)
 - c) 2 meters (6ft, 6in)
 - d) 4 meters (13ft, 1in)